QuadraTop® Bimini Top and Bimini Top Plus

Installation Manual for '87-'95 Jeep® YJ Wrangler Vehicles #11022.0XXX and #11022.101X




PARTS LIST: FABRIC TOP - QTY 1 **REQUIRED TOOLS:** SAFETY GLASSES



The Trusted Source

Important Safety Information:

Your QuadraTop[®] Bimini Top/Bimini Top Plus is intended to increase the fair weather enjoyment of your off-road capable vehicle. Before installation, please take a moment to review the following safety information and installation instructions. Important safety information is generally preceded by one of three signal words indicating the relative risk of injury. The signal words mean:



Before You Begin Installation:

Congratulations on your purchase of the QuadraTop Bimini or Bimini Plus Top! This high quality brief top is designed to enhance fair weather driving pleasure while providing shade and minimal shelter from light rain. We have used only the finest materials in creating this top but like any product that is exposed to the elements, there is some general maintenance that is required to keep it looking like new. Please see page 6 for these important maintenance tips. Thank you again for your purchase and let's start the installation process!

When unpacking, check to make sure all parts are included. If any part is missing or broken, please call Quadratec Customer Service at 800-745-6037 as soon as possible.

Important: Make sure you become familiar with the installation process of this top by reading the following instruction sheet thoroughly.



Important: For a smooth fit and ease of installation, this top should be installed at temperatures above 72 degrees. Below this temperature, the fabric may contract an inch or more making it difficult to install. We highly recommend taking the top out of the package and letting it sit inside a warm place or direct sun light for 1-2 hours before you install the top. When warm, this top will install quickly.

It is normal for fabric to contract and wrinkle when stored in the shipping carton. In a few days the fabric will relax and wrinkles will disappear.



The Trusted Source

Before Installation: All Models






Windshield Channel Requirements

All Bimini tops are designed to fit into a required windshield channel. You may already have the correct one. Compare yours to photo above. If it is not the same, get #11020.00 at quadratec.com **Threading Straps Through Buckles:** Throughout the installation, you will need to thread the straps through the buckles several times. Please review the diagram above for correct strap routing through the buckles.




Before beginning your Bimini Top/Bimini Top Plus installation on 87-95 Jeep® Wranglers, be sure to look at the windshield channel installed on the top of windshield. If the windshield channel is loose or bent upwards it MUST be replaced before Bimini Top installation. Replacement Windshield Channels are available at Quadratec.com



Fabric Wrapped Plastic Strip

Step One: Installation on '87-'95 YJ (all)

LOCATE BIMINI TOP ONTO CHANNEL Locate the Bimini Top and orient it on the vehicle. Drape it over the sport bar and insert the front of Bimini into windshield channel as shown above. NOTE: If you have an '86¹/₂-'88 YJ





Wrangler vehicle with snaps on the windshield, it will be necessary to remove them and install a windshield channel, shown at top of this page.



The Trusted Source

Step Two: Installation for '86-'91 YJ (only)

INSTALL TO ROLLBAR


Pull the Bimini back over the sport bar. Loop the two web straps under the sport bars and thread them through the attached buckles as shown below.




Locate the long web strap sewn to the center flap inside the top. Wrap the strap around the horizontal tube of the sport bar and pull it toward the front of the vehicle. Thread it


through the footman loop located above the windshield. Pull the end of the strap back and thread it through the buckle on the strap. Pull strap tight at this time. Finally, wrap the hook & loop strips around bars on each side. Fasten hook & loop strips to one another. **The 86-91 install is now complete.**


Step Two: Installation for '92-'95 YJ



INSTALL TOP TO ROLLBAR Locate the long web strap sewn to the center flap inside the top. Wrap the strap around the horizontal tube of the sport bar and pull it toward the front of the vehicle. Thread it through the foot-








man loop located above windshield. Pull the end of the strap back and thread it through the buckle (see diagram above) on the strap. For Bimini, pull strap tight at this time. For Bimini Plus: Do NOT pull the strap tight at this time.




The Trusted Source

Step Three: Installation for '92-'95 YJ




SECURE REAR CORNER STRAPS **For Bimini:** (see above) Locate the straps sewn near the rear corners of the Bimini. Wrap them under the sport bar, through the loop, under the rear sport bar and thread the end of each strap through the buckle. Do this on both sides of the vehicle. Then pull the straps tight through the loops as well as the buckles.




For Bimini Plus: (see above)

Locate the straps sewn on both rear corners of the Bimini Plus. Pull the straps toward the rear and wrap them under the seat belt assembly mounts and around the rear sport bar. Pull them tight up towards buckle and thread the ends of the straps through the buckles. Pull the straps tight. Do both sides.



SECURE SIDE STRAPS

For Bimini: (see above) Locate the two pairs of hook & loop strips sewn to each side of the top. Wrap them around the bar above door openings on both sides as tightly as possible and fasten them. Make sure that the center strap is tight as possible. Bimini install complete!



For Bimini Plus: (see above) Locate the three pairs of hook & loop strips sewn to each side of the top, above the door opening. Wrap the strips around the sport bar and fasten them to each other. Make sure that all the hook and loop is as tight as possible. Continue to final step...




The Trusted Source

Step Five: Installation for '92-'95 YJ

SECURE REAR DOOR AREA STRAPS **For Bimini Plus:** Locate the web straps sewn to the top at the rear of the door opening (near the center seam of the top). Wrap the strap around the Horizontal Bar and under the Vertical Sports Bar at the rear of the door and thread it through the buckle, as shown in the diagram to the right.

Pull the strap tight. Make sure that all the straps are as tight as possible **The Bimini Plus install is now complete.**



Care and Maintenance:

Your OuadraTop Bimini Top is made of the finest materials available but to keep it looking new and for the maximum possible wear, it will need periodic cleaning and basic maintenance. The main threat to your soft top are pollutants, dirt and grime. By keeping your soft top clean you will prolong the life of your top. We recommend the following to keep your top like new:

Washing: The soft top fabric should be washed often using a mild soap, warm water and a soft bristle brush. You can also use special soft top cleaners available on our website at **quadratec.com** Make sure that after cleaning you rinse with clear water to remove all traces of soap to avoid residue. **Water/Fabric:** In the event of water seeping through the seams, 3M Scotchgard[®] may be applied on the inside of the seams to stop the leak. Rips in the fabric may be repaired with Bondex[®] iron on patches. Iron the patches to the Inside of the top, carefully following the Bondex[®] instructions.

Snaps: Not all models have snaps. If present, keep snaps cleaned and lubricated with silicone to help prevent snaps from sticking to the studs. If a snap does become stuck to a stud, use a screwdriver and GENTLY pry apart to prevent permanent damage to the snap or the top fabric.



The Trusted Source

ALSO AVAILABLE: QuadraTop® Replacement Soft Tops

Affordable quality and durability with no compromises! Our top kits are designed to work with factory hardware and feature finer quality materials and workmanship along with the latest in manufacturing technologies for unprecedented value. Our new product team with decades of soft top knowledge and experience delivers you all the great features you want in a replacement top with unsurpassed customer service and support. Our QuadraTop is the best value in replacement soft tops compared to other tops costing hundreds more. If for any reason, you are not completely satisfied with your soft top purchase or have an installation question, please contact our professional customer support staff for a solution. All QuadraTops feature a limited Three year warranty against defects. The incredible fit & detailed instructions make installation as easy as... One, Two, Three!

Applications for YJ and TJ Wrangler Vehicles:

 For '88-'95 Wrangler w/Upper Doors & Clear Windows #11000.00XX

 For '88-'95 Wrangler w/Upper Doors & Tinted Windows #11000.01XX

 ▶ Colors: 09 · 15 · 17

For '97-'02 Wrangler w/Clear Windows #11000.02XX For '97-'02 Wrangler w/Tinted Windows #11000.03XX

 For '97-'02 Wrangler w/Upper Doors & Clear Windows #11000.04XX

 For '97-'02 Wrangler w/Upper Doors & Tinted Windows #11000.05XX

 Colors: 15 - 17 - 33

For '03-'06 Wrangler w/Clear Windows *11000.0635 For '03-'06 Wrangler w/Tinted Windows *11000.0735 For '03-'06 Wrangler w/Upper Doors & Clear Windows *11000.0645 For '03-'06 Wrangler w/Upper Doors & Tinted Windows *11000.0745

Colors: 35



QUADRATOPS START AT 299.991



Factory Trained Soft Top Advisors Always on Call!

Go online or call for latest price...



*Order an In Stock New QuadraTop Soft Top for Delivery in the Lower 48 States Before 4pm Eastern Standard Time, and It'll Ship UPS Ground the Same Day. Ground Shipments take between 1-7 Business Days to Deliver. Need Your Top Faster? Expedited Shipping Options are Available with a UPS Air Freight Surcharge.



The Trusted Source

Quadratec Limited Warranty

for QuadraTop[®] Bimini & Bimini Plus Soft Sun Tops

Your QuadraTop Bimini top is covered by the following **Limited Warranty** provided exclusively by Quadratec, Inc. 1028 Saunders Lane, West Chester, PA 19380.

This **Limited Warranty** is the only warranty made in connection with purchase. Ouadratec neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**.

What is Covered:

Subject to the terms, exclusions and limitations herein and with respect only to soft tops first sold in the United States, Quadratec warrants to the initial retail purchaser only that your QuadraTop Bimini top/Bimini Top Plus shall be free of defects in material and workmanship **for a period of 3 years from date of initial retail sale**.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 3 years from date of initial retail sale. Quadratec reserves the rights to: (a.) require invoice or other proof your product is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

What is Not Covered:

Your Quadratec Limited Warranty does not cover products or parts Quadratec determines to have been damaged by or subjected to: (a.) installation damage, alteration, modification, failure to maintain or attempted repair or service by anyone not authorized by Quadratec, (b.) normal wear and tear, cosmetic damage or damage from water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage. Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon Quadratec inspection and at Quadratec's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration on Quadra Top soft top should first contact Quadratec to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.

Other Limitations - Exclusion of Damages - Your Rights Under State Law:

In consideration of the purchase price paid, neither Quadratec nor any independent Quadratec distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

© Quadratec, Inc. 2013. All Rights Reserved. Version 12.02.13 A4

The terms Quadratec[®], QuadraTop[®], Essentials[®] and Essential[®] are Registered Trademarks of Quadratec Inc. Registered in U.S. Patent and Trademark Office.

Part #12999.8001



The Trusted Source